CERTIFICATE OF ANA	LYSIS	
Customer:	ACCURATE TEST LAB Batch #: Laboratory Number:	Report Issue Date: Order Date: Analysis Date:
Sample Description: Unit Weight: CANNABINOID PI	Photo	Extraction Technician: LL Analytical Chemist: LL Hernan Prieto Laboratory Manager
Analyte LOQ Results %	Analyte LOQ Results %	Analyte LOQ Results %
Max Active T	Total Active Cannabinoids Total	

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)

9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) PR-Hexahydrocannabinol(9R-HHC)

Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinol(D9-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



CERTIFICATE O	FANALYSIS			
Customer:		URATE T LAB	Report Issue Date: Order Date: Analysis Date:	
Sample Description: Unit Weight:	Ph IGN MATERIALS	noto	Extraction Technician: HP Analytical Chemist: HP Hernan Pricto Laboratory Manager	
Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL	
Filth & Foreign Materials	% Detected by Weight		PASS / FAIL	

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. ND:Not Detected - NA:Not Analyzed - CFU:Colony-forming unit / Analysis Method: ATL-PHI-001 / Accurate Test Lab estimated expanded uncertainty is less than 10% (Hogan, 2022). 1-Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020 Accurate Test Lab, LLC 2000 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA



CERTIFICATE OF ANALYSIS ACCURATE Report Issue Date: Batch #: **Order Date:** Customer: **Analysis Date: Laboratory Number:** Extraction Technician: HP Sample Description: Analytical Chemist: HP **Photo Unit Weight:** Hernan Prieto Laboratory Manager **PESTICIDES PROFILE**

Analyte RESULT PASS/FAIL **Analyte** RESULT PASS/FAIL **Analyte** RESULT PASS/FAIL



NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected T:Trace Cannabinoids detected but are below limit of quantification.



CERTIFICATE OF ANALYSIS Report Issue Date: Batch #: **Order Date: Customer: Analysis Date: Laboratory Number:** Extraction Technician: HP Sample Description: Analytical Chemist: HP **Photo Unit Weight:** Hernan Prieto Laboratory Manager **RESIDUAL SOLVENTS PROFILE** Concentration **Action Limit Analyte** PASS/FAIL (PPM) (PPM)

NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-GCM-001

1-Pass/Fail statement is based on California Code of Regulations, Title 16, Section 5718. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.



NOTES

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. NID: Not Detected Trace Cannabinoids detected but are below limit of quantification. LOQ = Limit of Quantifaction, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion,(%) = Percent, (cfu/g) = Colony Forming Unit per Gram(cfu/g) = Colony Forming Unit per Gram(Detection, (µg/g) = Microgram per Gram(ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw(area ratio) = Area Ratio, (mg/Kg) = Milligram per Klogram methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this

